


# Sundance Spas 680 Alicia™

## Specifications


<p><b>Dimensions</b> ..... 76" x 66" x 32" (193 cm x 168 cm x 81 cm)</p> <p><b>Seating Capacity</b>..... 2-3 Adults</p> <p><b>Dry Weight</b>..... 492 lbs (223 kg)</p> <p><b>Filled Weight (Spa Volume)</b> ..... 2,780 lbs (1,261 kg)</p> <p><b>Filled Weight (Average Fill)</b>..... 2,329 lbs (1,056 kg)</p> <p><b>Water Capacity (Spa Volume)</b> .... 274 US gallons (1,037 Liters)</p> <p><b>Water Capacity (Average Fill)</b> .... 220 US gallons (833 Liters)</p> <p><b>Electronic Controls</b> ..... Solid state electronic controls with LCD readout, programmable temperature, filtration, and heat cycles</p> <p><b>Pump 1</b>..... North America (60 Hz): 2-Speed, 2.5 HP brake, 1.5 HP continuous, 48 Frame <b>Export: (50 Hz):</b> 2-Speed, 2.0 HP continuous</p> <p><b>Total Hydrojets:</b> ..... <b>19</b></p> <p><b>Seat A Jets:</b>..... 4 DX</p> <p><b>Seat B Jet:</b>..... 6 DL, 4 DV, 2 DVR</p> <p><b>Seat C Jets:</b>..... 3 DXL</p> <p><b>Air Controls:</b>..... 3</p> <p><b>Massage Selectors:</b>..... None</p> <p><b>Filter:</b> ..... 50 ft² Filter Cartridge System</p> <p><b>Water Treatment:</b> ..... Factory installed CLEARRAY® Water Purification System</p> <p><b>Lighting:</b> ..... 6 LED bullet lights (4 above water; 2 underwater)</p> <p><b>Synthetic Cabinet:</b>..... Available in Coastal, Mahogany, Autumn Walnut</p> <p><b>Shell Colors:</b> ..... Platinum, Celestite (Gypsum), Sahara, Oyster (Opal), Copper Sand, Monaco, Midnight, Caribbean Surf, Sandstone, Porcelain</p> <p><b>Headrest:</b>..... 1</p> <p><b>Heater:</b> ..... North America (60 Hz): High Flow, 1 kW@120 VAC or Convertible to 4 kW@240 VAC; <b>Export: (50 Hz):</b> High Flow, 2.7 kW</p> <p><b>Electrical Requirements:</b> ..... North America Convertible Model (60 Hz): 120 VAC@15A with Supplied GFCI Cord or 240 VAC@30A or 40A (Hard Wired Only); <b>Export (50 Hz): 230-240 VAC@1x20A or 2x16A (see manual for more configurations); or Suitably Rated Circuit Breaker to Comply with Local Electrical Regulations. Certain Countries May Require 2 Power Inputs; Two GFCI/RCD Breakers are Required for This Configuration.</b></p> <p><b>Limited Warranty*:</b>..... North America (60 Hz): 5 Years Shell, 3 Years Shell Surface, 3 Years Plumbing Component Leaks, 3 Years Equipment and Controls, 1 Year Cabinet, 1 Year Jets, 1 Year Stereo <b>Export (50 Hz): 5 Years Shell, 3 Years Shell Surface, 3 Years Plumbing Component Leaks, 3 Years Equipment and Controls, 1 Year Cabinet, 1 Year Jets, 2 Years Stereo</b></p> <p><b>Waterfall Feature:</b> ..... One with ON/OFF valve</p> <p><b>Audio System (Optional):</b> ..... Factory Installed BLUEWAVE® Spa Stereo System (Bluetooth®/Aux compatible only) with four speakers</p> <p><b>Special Features (Optional):</b>..... Factory Installed SmartTub™ module</p>	
---	---

\*(See Warranty Document for Specific Details)

Dimensions/Specifications Subject To Change Without Notice

# Sundance Spas 680 Alicia

## Operation/Seat Depths



- Ⓐ Air control - Activates Seat A Jets (4 DX)
- Ⓑ Air control - Activates Seat B Jets (6 DL, 4 DV, 2 DVR)
- Ⓒ Air Control - Activates Seat C Jets (3 DXL)

- Jets Pump 1: Powers All Jets + Waterfall when running

### 19 Total Jets




Spa Operation Subject To Change Without Notice

## SEAT DEPTHS

- A = 28.25" (71.8 cm)
- B = 27.00" (68.6 cm)
- C = 27.50" (69.9 cm)
- D = 28.70" (73.2 cm)

Listed dimensions represent distance from top of acrylic to lowest point in seat. Tolerance  $\pm$  0.5" (1.27 cm).




\*(See Warranty Document for Specific Details)


Dimensions/Specifications Subject To Change Without Notice

# Sundance Spas 680 Alicia

## Portable Dimensions



**IMPORTANT!** Always measure each hot tub for exact dimensions **BEFORE** designing its foundational support and/or decking.



**Dimensions/specifications subject to change without notice. Tolerance:  $\pm 0.5"$  (1.27 cm)**

Dimensions/Specifications Subject To Change Without Notice